Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3 ·	2	"6185308".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/11 09:42
S1	299	(713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:46
S2	5	(dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND (713/183.ccls.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:51
S3	199	(dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380". clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:52
S4	74	(sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:55
S5	120	(key OR public key OR private key) AND (authenticate OR sign in OR sign on OR signon OR signon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380". clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:54

S6	134	(key OR public key OR private key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 14:25
S7	73	(key OR public\$1key OR private\$1key) AND (sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND recovery AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 14:56
S8	2	"5768373".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 15:09
<b>S9</b>	2	"5699428".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/09 15:10
S10	138	(data recovery OR forensic) AND database AND ("713".clas. OR "726".clas. OR "380". clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 09:12
S11	22	key AND (public\$1key OR private\$1key) AND (data recovery OR forensic) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 09:12

	1			,	· · · · · · · · · · · · · · · · · · ·	
S12	246	(key OR public key OR private key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign in OR sign on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB	ADJ	ON	2007/05/10 14:26
S13	157	file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR signon OR signin OR login OR logon OR log on OR log in) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408")	US-PGPUB	ADJ	ON	2007/05/10 14:28
S14	159	file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408" or @prad<"20040408"	US-PGPUB	ADJ	ON	2007/05/10 14:29

			·			
S15	89	(temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB	ADJ	ON	2007/05/10 14:30
S16	89	(momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND database AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408"	US-PGPUB	ADJ	ON	2007/05/10 15:48
S17	1	"7216110".pn.	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 15:24
S18	89	(momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage) AND ("713".clas. OR "726".clas. OR "380". clas.) AND (@pd<"20040408" or @prad<"20040408" or @prad<"20040408" or @rlad<"20040408")	US-PGPUB	ADJ	ON	2007/05/10 15:48

S19	87	(momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage) AND ("713".clas. OR "726".clas. OR "380". clas.) AND (@pd<"20040408" or @ad<"20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:51
S20	87	(momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND ("713". clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:57
S21	312	(momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @grad<"20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:58

		11 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	T	r		
S22	267	(decrypt OR decryption OR decrypting OR decrypted) AND (encrypt OR encrypted OR encryption OR encryption OR encryption) AND (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @grad<"20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:59
S23	266	(reading OR read OR parsing OR parsed OR parse) AND (decrypt OR decryption OR decrypting OR decrypted) AND (encrypt OR encrypted OR encryption OR encrypting) AND (momentary OR temp OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408" or @grad<"20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 15:59

S24	262	(reading OR read OR parsing OR parsed OR parse OR analyze OR analyzed OR analyzing OR determine OR determined OR determining) AND (decrypt OR decryption OR decrypting OR decryption OR decrypting OR decryption OR encrypted OR encryption OR encrypting) AND (momentary OR temporary OR one\$1time) AND file AND hash AND (key OR public\$1key OR private\$1key) AND (authenticate OR authenticated OR authentication OR authenticating OR sign\$1in OR sign\$1on OR log\$1in OR log\$1on OR connect OR connection OR connecting OR connected) AND session AND (dump OR dumped OR dumping OR extract OR extracted OR extracting) AND password AND user\$4 AND (recovery OR replication OR synchronization) AND (database OR network storage OR networked storage OR distributed storage OR repository OR repositories) AND (@pd<"20040408" or @ad<"20040408")	USPAT; IBM_TDB	ADJ	ON	2007/05/10 16:00
S25	7209	data recovery AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @rlad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:18
S26	701	file AND database AND data recovery AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:19
S27	51	file AND database AND data recovery AND ("713".clas. OR "726".clas. OR "380".clas.) AND (@pd<"20040408" or @ad<"20040408" or @prad<"20040408" or @prad<"20040408")	USPAT; USOCR; EPO; DERWENT; IBM_TDB	ADJ	ON	2007/05/10 16:19